



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/110,717	07/07/1998	RANDELL L. MILLS	9113-19-C16	5034

7590 05/09/2006

FARKAS & MANELLI P.L.L.C  
2000 M STREET, N.W. 7TH FLOOR  
WASHINGTON, DC 200363307

EXAMINER
----------

KALAFUT, STEPHEN J

ART UNIT	PAPER NUMBER
----------	--------------

1745

DATE MAILED: 05/09/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/110,717

Applicant(s)

MILLS, RANDELL L.

Examiner

Stephen J. Kalafut

Art Unit

1745

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 01 March 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-28 and 38-166 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-28, 38-166 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date (2 dates).
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

Art Unit: 1745

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 01 March 2006 has been entered.

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1-28 and 38-166, for reasons of record, are rejected under 35 U.S.C. 101 because the disclosed invention lacks patentable utility. See paper no. 3, paragraph no. 2.

Claims 1-28 and 38-166, for reasons of record, are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. See paper no. 3, paragraph no. 3.

Applicant's arguments filed 01 March 2006 have been fully considered but they are not persuasive.

Much of applicant's arguments refer to matters which do not pertain to the patentability of his invention, such as allegations of improper contact with a Dr. Robert Park or other "outside

Art Unit: 1745

influences”, discussions with Director Esther Kepplinger, an alleged conflict of interest involving consultary examiner Dr. Bernard Souw, and various statements made by examiners Doug McGinty and Vasu Jaganathan at an interview held on 11 February 2003. Applicant also refers to examiner’s statements made in his other applications, which statements have not been made in the present one.

Applicant argues (page 3) that he has over 60 peer-reviewed and published articles. The lack of peer review is only one reason why applicant’s alleged evidence has not been found persuasive, and is still applicable to articles outside these “over 60”.

Applicant cites (page 4) MPEP §716, where the examiner is required to explain why evidence is insufficient. This has been done, particularly in the Appendices which applicant faults as being “lengthy” (page 2). As stated in paper no. 20050206, page 4, a refusal to be persuaded is not the same thing as ignoring the evidence.

Applicant argues (page 22) that the “Committee” has failed to identify “even a single physical law that was supposedly being violated” (emphasis applicant’s). As stated on page 15 of the Appendix to the Office action of paper no. 36, applicant’s theory violates the rule that only inertial (*i.e.*, non-accelerated) frames of reference may undergo Lorentz contraction.

Applicant quotes (page 129) in an Office action for another one of his applications, and takes this statement to be an admission that his invention is operable, stating, “Having been forced to recognize the operability of BlackLight’s novel hydrogen technology” (BlackLight being the name of applicant’s company). This statement was and is intended only to point out the distinction between the field in which Dr. Souw has worked and the field where applicant

Art Unit: 1745

alleges, in that particular application, where his invention is applicable, and not as an admission that applicant's invention is operable.

Applicant argues (page 130) that Dr. Souw's work in the fields of microwave plasma and CVD analysis "leaves open the possibility that these fields may in fact involve BMS's use of hydrinos in some capacity" (emphasis applicant's; BMS being Dr. Souw's former employer). This does not show any actual or apparent conflict of interest, and is mere speculation.

Regarding the attachments submitted with the IDS of 07 March 2006:

- 1) Attachments 94, 102, 108, 109 and 111-114 fall into category (1) as set forth in paper no. 36, i.e., they have not been peer-reviewed.
- 2) Attachments 94, 108, 111 and 112 fall into category (3), because they contain data not accounted for by applicant's theory, as explained in paper no. 33, pages 3 and 4.
- 3) Attachments 58, 88, 102, 108-110, 113 and 114 fall into category (4), because they speculate hydrino formation as an explanation for experimental data unrelated to and not necessarily caused by hydrinos, such as Balmer line broadening, calorimetric data, or "indications" of hydride chemical bonding.
- 5) Attachment 60 has not been found.

Any attachment sent with the IDS of 07 March 2006 not mentioned here is already of record, and has been previously addressed.

✓ Please also see the attached Appendix.

This is a RCE of applicant's earlier Application No. 09/110,717. All claims are drawn to the same invention claimed in the earlier application and could have been finally rejected on the

Art Unit: 1745

grounds and art of record in the next Office action if they had been entered in the earlier application. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action in this case. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no, however, event will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J. Kalafut whose telephone number is 571-272-1286. The examiner can normally be reached on Mon-Fri 8:00 am-4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1745

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

sjk



STEPHEN KALAFUT  
PRIMARY EXAMINER  
GROUP 1700

## **APPENDIX**

### **EXAMINER BERNARD SOUW'S ANSWER TO R. MILLS' RESPONSE TO SOUW'S APPENDIX –**

#### **I. Experimental Part**

##### **(A) General Arguments**

Most of the “evidences” recited on pgs.1-37 of the 83 page amendment filed 8/11/2004 in response to Dr. Souw’s Appendix attached to the previous office action are repeats from Applicant’s former writings. Therefore, the examiner’s response will be mostly the same. Applicant’s alleged “evidence” falls into three categories:

- (a) Those published by Applicant himself, his own company Blacklight Power Inc. (hereinafter BLP) and/or its subsidiaries, including companies paid by BLP to do work on BLP’s behalf, all of which report results which are in contradiction to those obtained by independent third parties. In this regard, **all** attempts carried out by independent third parties to reproduce Applicant’s claimed results have failed [1, 2]. Thus, Applicant’s publications of this category are not considered as supports for the patentability of the present invention, since their results are deemed incredible. Falling under this category are publications nos. 7, 13-15 (sponsored by BLP), 17, 20-43 and 46-47.
- (b) Those published in non-peer-reviewed journals, as already identified in previous Office Action(s); and

(c) Those claiming observations unrelated and/or irrelevant to hydrino, such as excessive line broadening, novel peaks (either plasma or solid state spectroscopy), excess heat, enhanced radiation, i.e., phenomena explainable by conventional physics (e.g., impurities that evidently disappeared after surface cleaning [3]), while totally lacking any hard evidence (such as material hardness measurement), as already identified in previous Office Actions. To this category belong publications nos. 1-6, 8-12, 16, 18-19, 44, and 45.

The Examiner's rejection of "evidences" of category (a) to (c) remains the same, and is summarized as follows:

(A.1) Peculiarity or anomaly alone is by far not sufficient as "evidence". There are a great abundance of peculiarities and anomalies in this world, from "irreducibly complex molecular machines" to "crop circles". Many are hoaxes, and some are genuine phenomena waiting to be resolved by true science. However, hydrino is here excluded as a possible cause for the peculiarities and anomalies presented on pgs.1-37, not only because there is no evidence for its existence, but additionally, because the underlying theory, the Grand Unified Theory of Classical Quantum Mechanics, hereinafter GUT, has now been proven totally invalid as a scientific theory (see part II of this Appendix) owing to the incredibly large number of mathematical flaws and violations of known physical laws. There are still many plausible causes instead of the incredible hydrino that may be responsible for the peculiarities and anomalies cited in Applicant papers listed on pgs.1-37, a few of which have been discussed in previous Office Action(s) and will be consequently prosecuted in the following sections. To summarize, Applicant's results are either (a) disproved by independent third party researchers (e.g., Marchese et al. [1] and

EarthTech [2]; see B.3(c) below), or (b) explained by others as being due to causes other than hydrino (e.g., Fan et al. [3] and Luggenhoelscher [see previous Appendix]).

Specifically responding to Applicant's statement on pg.17, it is not the Examiner's duty or responsibility to present any alternative explanation; it is sufficient to show that the observed anomaly cannot be due to "hydrino". It is the Examiner's duty and responsibility to reject any mechanism that is scientifically impossible, such as the hypothetical effects due to "hydrino", since there is no evidence that "hydrino" exists, and furthermore, its existence has been proven scientifically impossible. Such a rejection is made possible by the MPEP under 35 U.S.C. § 101 and § 112/¶.1.

(A.2) Applicant's "evidence" is unpersuasive, because NONE of them is hard evidence, but all are invariably argued over some anomalies, such as excessive line broadening, anomalous peaks (in either plasma or solid state spectroscopy), excess heat, enhanced radiation, etc., which do not count, and hence, unpersuasive. Regarding evidence, a claim of strong bonding must be validated by measurement of material hardness, but not through unpersuasive arguments over peculiar lines that are irrelevant for being hardly above the noise level, as done by Applicant. NONE of the experiments done by other independent third party researchers has been able to reproduce Applicant's claimed results [1, 2] (see B.3.b) below).

(A.3) All of the alleged evidences are only argued based on the fractional energy level of hydrogen, for which there is no theoretical justification (see Part II of this Appendix: Theory).

**(B) Specific Arguments**

(B.1) Pg.29

Regarding Applicant's misidentification of the well-known He-II 304 Å line routinely found in solar spectrum as being due to Applicant's non-existent "hydrino" [4] (cited in previous Appendix), the Sun is known to also contain hydrogen and helium. Applicant's attempt to justify Applicant's obvious misidentification of the line by referring to new elements, such as iron, which has no relevance to the disputed 304 Å line, is unpersuasive. In this regard, Applicant's change of argument to "*the observed 304 Å line is not entirely due to ionized helium*" is also unpersuasive because: (1) There is no other element known in the art that may have contributed to the 304 Å line; and (2) It does not remove the fact that Applicant has misidentified the 304 Å line as being due to "hydrino".

(B.2) Pg.30

Again, the Examiner is not required to provide alternative explanation; it is sufficient to prove that Applicant's explanation is incredible (see A.1 above). Since the invention unambiguously claims the effect as being solely due to hydrino, and this hydrino is evidently non-existent, a rejection under 35 U.S.C. § 101 combined with § 112/¶.1 is proper.

(B.3) Pg.33-35

(a) Strong bonding must be evidenced by measurement of material hardness [5], not by mere arguments of anomalies observed in XPS spectral lines. Anomalies may have many other

causes, but not by hydrino. The latter must be excluded, for having neither experimental nor theoretical justification.

(b) Applicant's XPS line anomaly has been identified by an independent third party as an impurity line: it disappeared after surface cleaning [3]. This refutation has been recited in the previous Appendix, but failed to be addressed in Applicant's response. Therefore, Applicant's insistence of this line of being a "hydrino" line remains unpersuasive on both experimental and theoretical grounds.

(c) Pg.36-37

The experiment of Marchese et al. cited by Applicant has proven by hard evidence that the reaction suggested by Applicant is not more efficient than conventional reaction (A. Marchese's **Final Report [1], pg.33, lines 1-2 below Fig.29**).

In addition, EarthTech, which is an independent research company, failed to confirm Applicant's claimed result. EarthTech's effort to replicate Applicant's claim is documented at <<http://www.earthtech.org/experiments/blp/prelim.html>> [2a], and the negative finding at <<http://www.earthtech.org/experiments/mills/mills1.html>> [2b]. Based on these two negative results alone among others [2a, 2b], Applicant's arguments on pg.36-37 must be deemed unpersuasive. Consequently, Applicant's claim of having invented a novel, more efficient chemical process, is deemed incredible.

For reasons stated above, publications from A.J. Marchese relating to "hydrino" are not counted as support, but instead, as a refutation of Applicant's claim, in support of the Examiner's. These include "evidence" nos.16 and 44.

(d) Regarding pg. 137-138 of Applicant's main 161 page Response dated 08/11/2004, that the 0.16 nm line broadening cited by the Examiner Souw is allegedly "negligible to the >10 eV hot H found in Applicant's rt-plasmas", and further, on pg.142 of 161, "absolutely negligible compared to the >100 eV hot H found in rt-plasmas", must be dismissed for the following reasons:

(d.1) The 0.16 nm broadening (equivalent to  $3,7 \text{ cm}^{-1}$ ) is cited by Examiner Souw to be compared with the 0.27 nm broadening measured by Applicant, but not to "*10 eV or 100 eV hot H*" as alleged by Applicant. This purpose is unambiguously clear in this reproduced passage from the Examiner's Appendix attached to the previous action:

*"Secondly, and most importantly, anomalous hydrogen line broadening is not at all an evidence for the existence of hydrino, because it is well known in the art that such a broadening may be caused by many other conventional mechanisms, such as microwave plasma effects, the latter having not been considered by Applicant. Instead, such an effect has been so far ignored or dismissed by Applicant without any valid reason. The measured excessive line-width shown in Applicant's Fig.6 of ref.[6], i.e., 0.27 nm, is about the same magnitude as what is measured by other authors, e.g., ref.[5] cited in the May 7 Appendix, here reproduced in Fig.1 below.*

*As shown in Fig.[1], the anomalous line width of 0.16 nm, measured in a microwave discharge similar to Applicant's under the same gas mixture and pressure range, is about 10 times the Doppler width, and has been attributed to microwave plasma effects." (ref. [5] Luggenhoelscher et al.; Ref. [6] Mills et al.)*

Obviously, Applicant has misrepresented the original dispute over Applicant's 0.27 linewidth by changing or shifting the original subject matter into something else (translational kinetic energy; see below).

(d.2) By reciting 10 eV on pg.138, but 100 eV on pg.142, not only has Applicant compared to a differently related quantity (presumed translational kinetic energy; see next), but also has Applicant failed to particularly point out the subject matter he wants to raise (10 eV or 100 eV?).

(d.3) Applicant is silent about writing the  $3.7 \text{ cm}^{-1}$  linewidth in wavelength unit. The alternative expression,  $\delta\lambda \approx 0.16 \text{ nm}$ , obviates Applicant's  $\delta\lambda \approx 0.27 \text{ nm}$ , without ever postulating or presuming any Doppler effect. Instead, Applicant chose to express the observed line width in [eV] unit, which is simply obtained by multiplying the linewidth originally in units of wavenumber ( $3.7 \text{ cm}^{-1}$ ) with  $c=3 \cdot 10^{10} \text{ cm/sec}$ , thus resulting in  $\delta\nu \approx 100 \text{ GHz}$ , and further multiplying with the Planck constant  $h=4 \cdot 10^{-15} \text{ eV} \cdot \text{sec}$  to give approximately  $h \cdot \delta\nu \approx 0.45 \text{ meV}$ . While the expression  $h\nu$  bears the physical meaning of a kinetic energy of an oscillating electron having a frequency  $\nu$ , the new quantity  $h \cdot \delta\nu$  would mean a blur or spread in the oscillation kinetic energy of a radiating electron transition dipole, the latter being a QM entity without classical correspondence ( $=\langle \Psi_2 | \mathbf{a} \cdot \mathbf{D} | \Psi_1 \rangle$ ; see original Appendix, sect.3/pg.7). This blur may be due to Stark effect or microwave effect or something else that does not need to be further specified at this point. However, Applicant proceeds to improperly compare this line width with a hypothetical 10-100 eV translational kinetic energy, which is not just in a different unit, but of a totally different nature involving a sequence of presumptions that is not only controversial, but also disputable, as will be described next. Thus, Applicant is comparing "apples" to "oranges".

(d.4) Applicant (mis)interpret the observed linewidth as a Doppler width, for which there is no justification, but --at most-- only a presumption or tentative suggestion. To recapitulate, Applicant came to the 10-100 eV number by firstly presuming the observed linewidth as being entirely due to Doppler effect. Secondly, Applicant then converts the frequency shift (100 GHz) corresponding to the observed line broadening into atomic velocity, then finally multiplying the square of this velocity by the atomic mass to derive the suggested 10-100 eV translational kinetic energy (which is totally of different nature than the 0.45 meV blur or spread of unknown origin in the oscillation kinetic energy of a radiating electron transition dipole, as recited above). Such a derivation is based on a sequence of presumptions that may be partially or even entirely incorrect. Although Doppler effect is omnipresent, there is no justification for assuming the observed line broadening as being entirely due to the Doppler effect. The factual evidence only shows a 0.16 nm line width as observed by Luggenhoelscher, comparable to a 0.27 nm claimed by Applicant. There is no evidence that Applicant's 0.27 nm can be correlated to a translational kinetic energy of ">10 eV" or ">100 eV", or whatsoever, by presuming the linewidth were entirely caused by "*hot H*", as postulated by Applicant. Thus, a correlation of the observed line broadening anomaly with hydrogen translational kinetic energy, or velocity, or Doppler effect, is NOT a FACT, but only a suggestion or preposition, as correctly stated by Kovacevic et al. [6] by using the wording "probably" and "possible process", seeing that there are still other mechanisms also probable. As a matter of fact, the plasma sheath effect proposed by Kovacevic et al. in [6] sounds even much more plausible than Applicant's postulated hydrino. While it is not the job of the PTO to participate in a scientific debate, a plausibility consideration is here appropriate. Kovacevic's plasma sheath is more plausible, simply because plasma sheath is a

well known fact [7] routinely observed by many other researchers in a large number of unrelated phenomena, as opposed to “hydrino”, whose existence is unproven by any evidence, and even more, in violation of known laws of physics, while also being postulated under an incredibly large number of mathematical flaws and conceptual misunderstanding.

Thus, while 0.16 nm and 0.27 nm are scientific facts, Applicant’s “10 eV or 100 eV hot  $H$ ” is *not* a scientific *fact*, since the relation to translational kinetic velocity or energy (Doppler effect) of the radiating atom is only presumed without valid evidence (see Kovacevic [6]). Valid as hard evidence would be, e.g., a Doppler-free laser spectroscopic measurement, such as what was done by the Examiner in previously cited Ref.[8]. This would indisputably separate the Doppler effect from the homogeneous line broadening, the latter including Stark effects and microwave effects. Without such a hard evidence, Applicant’s claim of “10 eV or 100 eV hot  $H$ ” remains a hypothesis. Furthermore, such a claim does not have any relevance to, let alone a justification for, the existence of “hydrino”. It is thus concluded, Applicant’s claim that the observed anomalous hydrogen line broadening were due to “hydrino” remains scientifically incredible, justifying the previously applied §101 and §112/¶.1 claim rejections.

(d.5) Applicant’s method of estimating the 10-100 eV kinetic energy will now be applied to the Examiner’s 0.16 nm linewidth (measured as full width at half maximum, FWHM), showing the sequence of presumptions thereby made, without regards of the validity of Applicant’s unverified Doppler presumption. Firstly, the linewidth  $3.7\text{ cm}^{-1}$  or 0.16 nm is converted into atomic velocity  $\langle v \rangle$  according to the well known Doppler-shift formula  $\delta\lambda/\lambda=v/c$ , presuming firstly there is no other contributing effects, and secondly, that the homogenous linewidth is negligible. By taking account for a factor originating from the relationship between a presumed

Maxwell-Boltzman velocity distribution and the definition of FWHM Doppler linewidth, one easily obtains a 1-dimensional average hydrogen translational linear velocity  $\langle v_z \rangle$ . Presuming further that the velocity distribution is isotropic and 3-dimensional, this translational linear velocity corresponds to an average (3-dimensional) translational kinetic energy of  $KE = m \langle v^2 \rangle / 2$ , where  $m$  is the mass of atomic hydrogen ( $= 1.67 \cdot 10^{-24}$  gm). Ready-to-use formulas that may be taken for the above estimates are, for example,  $\delta \lambda / \lambda = \delta \nu / \nu = (1/c) \cdot \sqrt{8kT \cdot \ln 2 / m}$  [9] and  $KE = m \langle v^2 \rangle / 2 = 3kT/2$  [10], in terms of the temperature  $T$  as a redundant parameter. One of ordinary skill in the art easily obtains a translational kinetic energy of  $KE = 15.2 \text{ eV}$ , which properly corresponds to the 0.16 nm line width under the presumptions described above.

We see, this **15.2 eV** kinetic energy is very much comparable to Applicant's **10-100 eV**, just in the same manner as 0.16 nm is comparable to 0.27 nm. Thus, by writing a directly measured linewidth  $3.7 \text{ cm}^{-1}$  in an alternative unit, 0.45 meV (which itself does not make sense), and then comparing the latter with a hypothesized 10 eV translational kinetic energy, not only is Applicant making an improper comparison, but Applicant is also violating a conceptual fundament of physics, like comparing “apples” with “oranges”.

(d.6) Applicant's lengthy discussion on various broadening mechanism conducted on pgs. 139-142 is well known in the art, and is not argued by the Examiner. Disputed is here the interpretation of the observed broadening as being due to atomic velocity, or translational kinetic energy, or Doppler effect. The latter is no more than a probable mechanism, as correctly stated by Kovacevic [6] by using the wording “probably” and “possible process”. There are many

other possibilities that would also explain the observed effect, e.g., the well known microwave effect proposed by other researchers, e.g., Luggenhoelscher, as cited previously. Applicant is totally silent about this microwave effects.

(e) Applicant's statement on pg.139, lines 1-3, that "*Stark broadening of hydrogen lines can not be measured at low electron densities ...*", is scientifically inaccurate. Stark broadening, or any homogeneous line broadening, such as due to microwave effects, can well be accurately measured (to  $10^{-5}$  nm or even better), e.g., by means of Doppler-free Laser Spectroscopy, as demonstrated by the Examiner in his own work cited previously [8]. Such a measurement would have been scientifically acceptable as hard evidence for the Doppler effect (but not for "hydrino"), since the Doppler-free technique would be able to cancel out the Doppler effect, thereby measuring only the intrinsic/homogeneous broadening (e.g., natural broadening, Stark broadening, both static and dynamic, AC Stark effect, microwave effects, etc.).

(f) Applicant's argument on pg.140-142 regarding Luque's and Luggenhoelscher's references has no merit, not only because the references are not cited by the Examiner to refute Applicant's incorrect claim of the Doppler effect and "hydrino" (this is accomplished by Kovacevic's [6] by virtue of the plasma sheath effect), but instead, to compare with the 0.27 nm line broadening measured by Applicant (see previous recitation from Applicant's paper). However, irrespective of the validity of Applicant's unverified Doppler assumption, a proper conversion of Luggenhoelscher's line broadening leads to a comparable magnitude (15.2 eV) with Applicant's claimed 10 eV kinetic energy, as previously demonstrated by the Examiner.

Any further argument over line broadening in applicant's data of record will be considered unpersuasive for the reasons given in section I.B.3.d(5).

**(C) CONCLUSION**

Not a single independent third party (one that is not funded by or in collaboration with applicant) has been able to confirm Applicant's claim(s). Therefore, serious doubts are raised as to the scientific reproducibility of Applicant's results. This situation is very similar to cold fusion, the latter having ultimately ended up with a final dismissal by the scientific community. Since Applicant's invention violates what is conventionally accepted in science, it is not patentable. Such an "invention" is also not useful, since it cannot be reproduced and used by others. Therefore, a rejection under § 101 and § 112/¶.1 is here proper.

In summary, Applicant's claims on hydrino-based processes have neither a credible experimental confirmation nor a scientific basis (see also Part II of this Appendix: Theoretical).

**(D) REFERENCES** *(those already cited in previous Appendix or by Applicant are printed in italics)*

[1] A.J. Marchese et al., "The Blacklight Rocket Engine" Phase I Final Report, available at <<http://engineering.rowan.edu/~marchese/>>, also at <<http://www.niac.usra.edu>>.

[2a] EarthTech Reports, <<http://www.earthtech.org/experiments/blr/prelim.html>>.

[2b] EarthTech Reports, <<http://www.earthtech.org/experiments/mills/mills1.html>>.

- [3] Y. Fan et al., "X-ray Photoelectron Spectroscopy Studies of CVD Diamond Films", *Surf. Interface Anal.* 2002, 34, pp 703-707 (see previous Appendix)
- [4] He-II in Solar spectrum (see previous Appendix)
- [5] "Material Hardness", [http://www.calce.umd.edu/general/Facilities/Hardness\\_ad\\_.htm](http://www.calce.umd.edu/general/Facilities/Hardness_ad_.htm)
- [6] E. Kovacevic et al., "The Dynamic Response of the Plasma on the Dust Formation in Ar/C<sub>2</sub>H<sub>2</sub> RF Discharges" at [http://www.icpig.uni-greifswald.de/proceedings/data/Kovacevic\\_1](http://www.icpig.uni-greifswald.de/proceedings/data/Kovacevic_1).
- [7] Cvetanovic et al., *J. Appl. Phys.* 97, 033302-1, 2005.
- [8] E.-K. Souw et al., "The Zeeman Splitting of the 5876 Å Helium Line Studied By Means of a Tunable Dye Laser", *Physica 113C*, 203, 1982
- [9] [http://omm.hut.fi/optics/1\\_o/2004/luennot/spectroscopy.pdf](http://omm.hut.fi/optics/1_o/2004/luennot/spectroscopy.pdf)
- [10] <http://hyperphysics.phy-astr.gsu.edu/hbase/kinetic/molke.html>

**EXAMINER BERNARD SOUW'S ANSWER TO R. MILLS' RESPONSE TO SOUW'S APPENDIX –****II. Theoretical Part**

Applicant's response does not remove any of the Examiner's refutations of his Grand Unified Theory of Quantum Mechanics, hereinafter GUT, as presented in the original Souw Appendix included in the previous office action. Rather, Applicant's response adds a large number of new mathematical and physical errors. Because those new errors are numerous, it is not possible to analyze them one by one without ending up writing hundreds of pages. Therefore, as done with GUT in the previous Appendix, only the significant ones will be addressed in the following sections, which are divided into the same paragraphs or sections as in the previous Appendix.

**1. Regarding the derivation of hydrino's fractional energy levels,  $E_n$** 

(a) Applicant's arguments regarding GUT, Ch. 1-2, 5-6, as recited in his response on pg.37 are unpersuasive: Applicant's formula for  $E_n$  is not derived, but postulated, just as stated by the Examiner so far. First-principle means, the principal formula must come out of mathematical derivation. Thus, applicant's formula is not from first principles. It is to be known, that postulate is acceptable in science (e.g., QM), insofar it is supported by experimental evidence and does not contradict with known natural laws. This is not the case with the hydrino. Its existence is not supported by experimental evidence and is also in violation of quantum mechanics (QM), electrodynamics, and the relativity theory.

(b) As already demonstrated in said Appendix, those GUT chapters are full of mathematical flaws and violations of elementary principles of physics, some of which have been previously discussed and will be consequently prosecuted in the following sections.

## 2. Regarding the alleged “electrostatic Schrödinger Equation (SE)” and “stationary electron”

(a) Applicant has misrepresented the Examiner’s previous statements as none of the wording alleged by Applicant, i.e., “electrostatic Schrödinger Equation (SE)” and “stationary electron” is recited by the Examiner in said Appendix. As such, the Examiner is not giving any weight to these arguments thus presented.

(b) Applicant has misunderstood the fundamental QM concept of “stationary state” (see original Souw Appendix pg.1/ sect.2/lines 1 and 3), in which the term “stationary” (or “static”) simply means “does not change with time” (as defined in the Appendix pg.2/line 1). This “stationary state” is a fundamental concept that can be found in every QM textbook (see, e.g., McQuarrie [1], Ch.4.3, pg.121, lines 2-3 from bottom, “*Thus, the probability density and the averages calculated from Eq.4-19 are independent of time, and the  $\psi_n(x)$  are called stationary-state wave functions*”). As such, the wording “stationary state” would never be misinterpreted as “motionless electron” by any one of ordinary skill in the art. As known in the art, an electron in a stationary state is in motion, wherein the motion, or velocity, is inherent in the wavefunction, and is represented by the eigenvalue (for a single state) or expectation value (for a superposition of states) of the particle momentum operator ***p*** (operators are written in ***bold italics***) divided by

the mass  $m$  (scalar non-operator), i.e.,  $V=p/m$ , such that the particle velocity is  $\langle V \rangle = (1/m) \cdot \langle \psi^*, p\psi \rangle$ , in which the operator  $p$  is represented by  $-i\hbar \text{grad}$  in the Schrödinger representation. The “stationary” state or “static” probability density (to be distinguished from Applicant’s stationary electron) is a direct consequence of the uncertainty relation (see original Souw Appendix/lines 8-10), since the energy  $E$  of the state, and also its angular momentum  $L$ , are sharply defined, i.e.,  $\delta E=0$  and  $\delta L=0$ , which consequently leads to  $\delta t=\infty$  (does not change with time) and  $\delta \phi=2\pi$  (total uncertainty of angular position  $\phi$ ), the latter because the angular momentum operator is defined as  $L=i\hbar \partial/\partial \phi$  (or by scalar operator  $L^2$ ), and the complementary of the angular momentum is the angular position  $\phi$ , which is equivalent to the complementarity between  $p$  and  $x$ , leading to  $\delta x=\infty$  for  $\delta p=0$  in case of linear momentum and position. In simple terms understandable to those ordinarily skilled in the art, an electron plane wave represented by  $\psi \sim \exp(ikx-i\omega t)$  also results in a stationary probability (charge) density,  $\rho = |\psi|^2 = \text{constant}$  in time, i.e., static, per definition. However, the electron itself (to be distinguished from its state or probability density) is not stationary or static, but instead, moving with a momentum of  $p=\hbar k$  and a kinetic energy of  $E=\hbar^2 k^2/2m$ . This is a most basic element of QM well known to those ordinarily skilled in the art. For these reasons, Applicant’s “refutation” of the QM are unpersuasive.

The QM method of calculating spectral line intensities based on vector- and tensor-operators as presented, e.g., by Condon E.U. & Shortley G.H., “The Theory of Atomic Spectra”, Cambridge 1967, pp. 45-69, and 112-147 [2], has been mathematically implemented and experimentally verified by the Examiner himself in his two previously cited works [3, 4]. The experimental verification involving hundreds of spectral lines as functions of electric/magnetic

fields was made without a single error or failure. The results were extremely accurate within less than  $10^{-5}$  nm, which is far more superior to the 0.1 nm accuracy achieved in Applicant's measurements. As a proof for the correctness of conventional QM, similar mathematical verifications have been also demonstrated by a great number of other authors. In this regard, a reference to the Examiner's own work is here to be considered important, so as to exclude the possibility of an invalid dismissal from Applicant's side, such as "the Examiner misunderstands his own reference". As already brought up in the previous Appendix, Applicant's Grand Unified Theory (GUT) wave function is incapable of calculating line splitting and line intensities, including line absorption cross-sections, as the conventional QM is evidently capable of (see [2], [3] and [4]). Applicant is invited to present detailed step-by-step calculations showing how his theory is capable of predicting the line intensities and applicant has not done so to date.

(c) Regarding pg.40 of the amendment, the Examiner's argument has been (and is), that not only the ground state, but all stationary states must be also non-radiative in consequence of the Haus theorem, since their probability density distribution does not change with time (i.e., per definition, stationary; see previous Appendix section 2, lines 1-2). To "see" an electron physically moving around an atom, a wave packet has to be constructed as a superposition of stationary states having not only a plurality of orbital quantum numbers (L,m), as described in the original Souw Appendix, sect.2, but also involving at least two principal quantum numbers,  $n_1$  and  $n_2$ , as discussed in the original Appendix sect.3. Only then, can a non-vanishing time dependence of the probability density be established, i.e., by virtue of the cross-term  $\rho = |\psi|^2 \sim \exp i(\omega_1 - \omega_2) \cdot t$  (Note: the energy of a free hydrogen atom, and hence, its frequency,  $\omega_n = E_n/\hbar$ , only depends on the principal quantum number n). This corresponds to the transition probability

discussed in sect.3 of the original Appendix, which also agrees with the Haus's condition, that a free hydrogen atom composed of at least two eigenstates of different principal quantum numbers does radiate, i.e., making a transition from  $n_2$ -state to  $n_1$ -state.

This conclusion regarding stationary states is a direct consequence of the Heisenberg Uncertainty Principle, and has been made by the Examiner independent from --but in agreement with-- Feynman and other authorities in QM, the latter contended by the Applicant himself (see 2.d.(5) below). In contrast, Applicant's theory based on point electron, as recited in GUT and on pg.39 is incorrect, since it is in total contradiction to and not reconcilable with the routine experimental observations of electron wave properties, such as interference effects that have found many useful applications, e.g., Reflection High Energy Electron Diffraction (RHEED) and Low Energy Electron Diffraction (LEED).

(d) On pg.39, applicant presents new arguments that the Examiner takes issue with as follows:

(1) Applicant's analysis based on Haus theorem is mathematically and physically flawed, as already addressed in the previous Souw Appendix, to be again repeated and emphasized in the following sections (i.e., mathematically, regarding Applicant's "solution" of electron wave function  $\rho(r,t)$  based on the  $\delta$ -function that does not satisfy the wave equation; and physically, the non-applicability of Lorentz contraction formula to Applicant's orbiting electron).

(2) Applicant's allegation that QM is inconsistent with experimental observation is doubly flawed. Firstly, the fact that hydrogen ground state ( $n=1$ ) does not radiate is confirmed by experimental observations without a single exception, as already recited in the previous

Appendix. Secondly, Applicant's insistence that the  $n=1$  state does radiate is not supported by any valid experimental evidence. Applicant's own "experimental evidence" (if any) must be disqualified, because it can not be confirmed by any independent third party researcher.

(3) Applicant's arguments based on Laloë's article [5] are unpersuasive for reasons to be discussed in a section 6, sub-paragraph (d) below.

(4) Reference [80] is to be disqualified, since it is written by Applicant based on his own flawed theory which has been addressed numerous times by the Examiner.

(5) The proof given by Feynman that has removed the problem of self-radiation in an orbiting electron by virtue of the Heisenberg Uncertainty Principle (HUP) is scientifically convincing and well-accepted by the scientific community, while having been also independently confirmed based on exactly the same reason by the Examiner in the previous Appendix (same section 2, pg.2, lines 1-10; see also sect. 2.c above). This means, the scientific community generally agrees with Feynman and the Examiner, but disagrees with Applicant.

### 3. Regarding the alleged instability of the (excited) states

Applicant does not adequately address the Examiner's refutation as recited in the previous Appendix, but keeps repeating and insisting the correctness of his Grand Unified Theory (GUT). Applicant misunderstands the QM by sticking to the viewpoint of classical physics, instead of properly reconciling both viewpoints under the correspondence principle. Applicant's misinterpretation of "stationary states" in QM has been adequately described previously. As recited in the previous Appendix, Applicant's formulas (1.59) to (1.68), as well

as Eq. (1) to (5) on pg.44-45, are mathematically flawed and physically incorrect, not only with regard to QM, but also with respect to (Maxwell's) electrodynamics and Einstein's relativity theory, as already described in the previous Appendix and in Sect.10 below. Similarly, Applicant's arguments regarding the instability of excited states based on Quantum Electrodynamics (QED) and Dirac's theory must be disqualified, since Applicant has evidently misunderstood the most basic element of the Dirac theory, specifically regarding the physical concept and the mathematics of Dirac's 4-vector, as described in more details in section 6, subparagraph (c). Therefore, Applicant's argument on this subject matter remains unpersuasive.

#### 4. **Regarding "Applicant misunderstands the most basic fundamentals of the QM theory"**

(a) Applicant's attempt to argue that Applicant's electron wave function  $\rho(r,t)$  involving  $\delta$ -function does not need to satisfy --or must not be a solution of-- the wave equation (pg.45) is totally unacceptable, and hence, unpersuasive because applicant's response contradicts the mathematical requirement that any valid solution must satisfy the generic equation.

Applicant's insistence that his  $\delta$ -function-based "solution"  $\rho(r,t)$  does not need to satisfy -or must not be a solution of-- the wave equation, violates the basic laws of physics and mathematics. It must be emphasized that the entire physics and mathematics that have been developed since Newton and Leibniz form together a non-self-contradictory entity generally accepted by the scientific community. It is a high barrier to disprove what is accepted by conventional science, such as QM (Quantum Mechanics).

Since Applicant's GUT is entirely based on this  $\delta$ -function-based electron wave function  $\rho(r,t)$  which is not a solution of his own starting wave equation, Applicant's flawed GUT does not provide any theoretical support to this patent application. Any further attempt to argue the patentability of his application by relying on GUT will be dismissed as UNPERSUASIVE with referral to this section, II.4.a.

(b) Applicant's angular momentum wave functions (instead of eigenfunctions), as derived in GUT and partly reproduced on pg.58-64, are mathematically flawed and in direct violation of the conventional QM, as already described in the previous Appendix. It turns out, Applicant's rejection of QM is solely caused by Applicant's misunderstanding and misinterpretation of the QM, the latter having been acknowledged in the art as being the most successful theory in the whole history of physics. The validity of QM has been quantitatively verified by multiple generations of physicists/scientists and by thousands, if not millions of phenomena and effects encountered in science and technology. In contrast, applicant's flawed "theory" has not been verified even by a single experiment conducted by an independent third party to date. Thus, Applicant's argument regarding alleged flaws in QM is unpersuasive.

(c) Applicant's remark, "*there is no a priori basis for any theory to be correct*", does not contradict the Examiner's view. However, there are plenty of a priori basis for a theory to be incorrect, e.g., if the theory is incredible, illogical and/or self-contradictory, such as Applicant's GUT and hydrino theory. The Examiner's view on Applicant's theory and experimental evidence is totally different than Applicant's: (a) A correct scientific theory must be mathematically and conceptually self-consistent, and should not contain self-contradiction, e.g., mathematical flaws. In this regard, Applicant's entire theory, as documented in the GUT

document, contains an unprecedented amount of mathematical flaws and errors, as already demonstrated in the previous Appendixes included in all the office actions of record, some of which are now repeated, confirmed and emphasized. (b) A correct scientific concept must be proven by experimental evidence. In this regard, NONE of Applicant's "experimental evidence" is scientifically valid, as already discussed by the Primary Examiner(s) in his/her main Office Action. Applicant's alleged "evidence" falls into three categories, which have been discussed in Part I and already presented in the previous Appendix.

**5. Regarding Applicant's misunderstanding of Haus's non-radiative condition**

(a) On pg. 51/lines 4-5, Applicant recites: "*a time dependent charge corresponds to a current*". This is just one of the unprecedented number of mathematical flaws and misunderstanding of elementary physical concepts in Applicant's GUT. The mathematical flaw lies in the fact that a current  $\mathbf{J}$  is a vector quantity (or field), whereas  $\rho(\mathbf{r},t)$  is a scalar, so they can never be the same as claimed by Applicant ( $\mathbf{J} \neq \rho/\partial t$ , since the left hand side is a vector and the right hand side is a scalar). The physical flaw lies in the fact that they are fundamentally of different natures. Only together (hence their different natures!) they form the charge conservation law, i.e., by virtue of the well known formula  $\text{div} \cdot \mathbf{J} + \partial \rho / \partial t = 0$  (note the scalar operation  $\text{div} \cdot$  on vector  $\mathbf{J}$ ; not  $\mathbf{J}$  itself). The GUT is completely silence on such mathematical relation and/or operation. Hence, any hindsight argument in this direction from Applicant's side inevitably would be automatically considered invalid and unpersuasive.

(b) In GUT, as well as on pg.51/ff of 83, Applicant's Eqs.1-39 through 1.45 are mathematically flawed, as already recited in the previous Appendix, sect.4/pg.3/lines 8-12 and pg.4/lines 9. One of ordinary skill in the art can easily show that Applicant's charge density  $\rho(\mathbf{r},t)$  is neither a solution of the Maxwell/Helmholtz equation in terms of Laplace operator nor the Schrödinger equation, i.e., by virtue of the fully analytical integral representation of the  $\delta$ -function that can be mathematically treated in a rigorous manner (see original Appendix, section 4). Not only is this another example out of an unprecedented number of mathematical flaws and misunderstanding of elementary physical concepts in Applicant's GUT, but most importantly, a solid proof that Applicant's derivation of the hydrino theory is based on the failure to apply rigorous mathematics as proofs as every physics theory should be based upon

(c) Applicant's Eq. 1.41 to 1.45 are based on an incorrect application -- and is a result of his serious misunderstanding-- of the Special Relativity Theory, specifically regarding the inapplicability of the theory to a circulating electron, as already described in previous Appendix. Applicant has failed to address the Examiner's refutation and show a proper understanding of the Relativity Theory in his response to the Examiner's Appendix (see also last section 10).

(d) Applicant's statement on pg.55 that, "[t]he distinction between an eigenfunction and a wavefunction comprised of eigenfunctions ..... is due entirely to a mathematical postulate of  $QM$ ", is mathematically incorrect: Per definition, eigenfunctions are solutions of an eigenvalue equation. Not only the Schrödinger Equation (SE), but also the electromagnetic wave equation of Helmholtz are eigenvalue equations. Consequently, the monochromatic wave function  $\exp i(\mathbf{kx}-\omega t)$  is an eigenfunction solution of the wave equation, and a wave packet can be constructed

as a superposition of such eigenfunctions. Applicant's GUT theory is based on applicant's serious misunderstanding in this crucial subject matter.

6. **Applicant's confusion regarding wavefunction and eigenfunction**

(a) Due to applicant's misunderstanding of eigenfunctions (see above), applicant then proceeds to separate the physics of angular momentum from its mathematics (e.g., on pg.54-55, and once again on pg.64). A most important characteristic of modern science (ever since Newton) is, that physics must be quantitatively expressed in rigorous mathematics (besides it must be also experimentally verifiable, independent of time, location and observer). The mathematical basis for the QM concept, including the complementary property of position and momentum as well as the Heisenberg uncertainty principle (HUP), is the Fourier Transform, in which both the HUP as well as the concept of eigenfunctions, as distinguished from a superposition (wavepacket), can be intuitively grasped by one of ordinary skill in the art-

(b) On pg.55/lines 8-10 from bottom, Applicant's statement regarding the impossibility of zero rotational energy in case of zero angular momentum ( $L=0$ ) has no basis whatsoever, and hence, is here dismissed and disregarded. For  $L=0$ , the wavefunction is known to be spherical symmetric, meaning that the electron is everywhere within  $0 \leq (\theta, \phi) \leq \pi$  with equal probability. To "see" an electron density probability that is inhomogeneous over the angle coordinates  $(\theta, \phi)$ , a superposition of angular momenta eigenfunctions is necessary, as described in the original Appendix, which also means that  $\delta L > 0$  and the system is no longer spherical-symmetric. A spherical-symmetric system ( $L=0$ ) has a zero angular momentum, since  $L^2 Y_{L,m}(\theta, \phi) = 0$  for  $L=0$ , and  $L Y_{0,0}(\theta, \phi) = (\mathbf{r} \times \mathbf{p}) Y_{0,0}(\theta, \phi)$  with  $\mathbf{p}$  being a differential operator (defined by McQuarrie [1])

Eqs.6-81 & 6-83), is also identical to zero, since  $Y_{0,0}(\theta,\phi)$  is a constant (see previous Appendix pg.5-6). Consequently, the rotational energy,  $E_R=L(L+1)\hbar^2/2I$  (McQuarrie [1] Eq.6-61/pg.219), is also zero for  $L=0$ , whereas  $E_R=\hbar^2/I$  for  $L=1$ , in direct contradiction to Applicant's claim that the lowest rotational energy is  $E_R=\hbar^2/2mr^2$ , as recited on pg.55 lines 24-25. Applicant has obviously misunderstood his own cited reference McQuarrie [1], i.e., by inserting  $L=1$  (but not  $L=0$ ) and  $I=mr^2$  in Eq.6-61 on pg. 219 and 209, where  $r$  is there NOT the radius of hydrogen atom as Applicant would like to mean, but ( $r$  is) the inter-atomic distance in a diatomic molecule, whereas Applicant's  $m$ , or McQuarrie's  $\mu$ , is its reduced mass, as recited in [1] on pg.212/Example 6-5. It is also clear that  $L=0$  is inclusive in the complete set, as recited in Eq.6-60 in [1] on pg.209. McQuarrie [1] discusses in §6-5 to §6-7 the Rigid Rotator model, unambiguously reciting in the title of §6-5 that the Rigid Rotator is a Model for a Rotating Diatomc Molecule ([1]/pgs.210-221). Hydrogen atom is handled by McQuarrie [1] in §6-8 on pg.221 ff.. As stated by McQuarrie [1] on pgs.222-223, Eqs. 6-99 & 6-100, the energy of a hydrogen electron for different quantum numbers ( $n,L,m$ ) in the absence of magnetic field is degenerate in ( $L,m$ ), as recited on pg.225, line 20-22 of § 6-9, i.e., it depends only on the principal quantum  $n$ , with  $L$  satisfying  $0 \leq L \leq n-1$  (Eq.6-101 in [1]/pg.223), i.e.,  $L=0$  also inclusive. Obviously, Applicant's has misunderstood the zero angular momentum case in his own cited reference, McQuarrie [1], for misinterpreting  $Y_{0,0}$  as being a spin eigenfunction (GUT, Eqs.1.61-1.65) based on his erroneous understanding that  $L=0$ , or zero rotational energy, is impossible, as recited by Applicant on (pg.55, lines 24-25).

The Examiner also takes issue with applicant's removal of  $Y_{0,0}$  out of the complete set of angular momentum eigenfunctions  $Y_{L,m}(\theta,\phi)$ . As known in the art, the solutions of an

eigenvalue equation form altogether a complete set of eigenfunctions. By taking out  $Y_{0,0}$ , Applicant's incomplete set of  $Y_{L,m}(\theta,\phi)$  ( $L,m>0$ ) is now incapable of representing an arbitrary function of  $(\theta,\phi)$ , since it is a mathematical rule generally known in the art that an arbitrary function (emphasis on the arbitrary) can only be represented by a complete set of eigenfunctions with all possible values of  $L$ , from  $L=0$  to  $L=\infty$ . Thus  $L=0$  cannot be taken out, as done by Applicant. In view of these serious misunderstandings by the applicant, applicant's arguments on angular momentum and spin are unpersuasive.

Still on pg.55, Applicant's statement "*the Examiner's requirement of taking linear combinations of eigenfunctions to result in a wavefunction solution to avoid violating the Uncertainty Principle*", is another example of Applicant's misunderstanding of the Uncertainty Principle, as once again manifested on pg.65 of the amendment discussed below. Either a superposition of eigenfunctions, or a single eigenfunction, are both valid manifestations of the Uncertainty Principle,  $\delta p \cdot \delta x \gtrsim \hbar$  or  $\delta L \cdot \delta \phi \gtrsim \hbar$ , for any two complementary observables. None of them violates the Uncertainty Principle, as contended by Applicant. See also the same conceptual mistake in sub-paragraph 6(d) below.

(c) Applicant's angular momentum wave functions as postulated (but not derived) in the GUT and repeated on pg.58-64 are mathematically flawed, since they contain mathematical inconsistencies and self-contradictions, as discussed in previous Souw Appendix (sect.6/pg.5-7). Accordingly, Applicant's argument regarding this subject matter is unpersuasive.

As pointed out in the previous Appendix (sections 6-8 on pgs. 5-9), Applicant is representing both the spin function ( $Y_{0,0}$ ) and the orbital momentum function ( $Y_{l,m}$ , hereinafter denoted by

$Y_{L,m}$ ) in the same space ( $r,t$ ), i.e., as a single function  $Y = Y_{0,0} + Y_{L,m}$  (see GUT, Eqs.1.61-1.65). This is a direct contradiction to Applicant's arguments in his present Response, recited on pg.57, (citation:) "*It is physically correct and mathematically correct to solve spin and orbital functions independently, since there is no a priori reason, why they have to be a single eigenfunction or product [sic!] of eigenfunctions. After all, they are independent physical phenomena. The two dimensional wave equation plus time is given by McQuarrie [1]*".

Most of this statement has been being practiced in science all the time by those ordinarily skilled in the art, except for one which is denoted with "*[sic!]*". However, Applicant has obviously misinterpreted his own statement, based on Applicant's own cited reference, i.e., McQuarrie [1] for reasons given in the next paragraph.

(c.1) Firstly, McQuarrie's spin-orbital eigenfunction  $\Psi_{100\pm\frac{1}{2}}$ , as defined in Eqs.8-50 and 8-51, is a product of the orbital eigenfunction  $\Psi_{100}$  (see Table 6-5 on pg. 224) and the spin eigenfunction  $\alpha$  and/or  $\beta$ , the latter defined independently by Eqs. 8-43 and 8-46. In contradiction to Applicant's misunderstanding, it is just because it is product, can the resulting wavefunction remain an eigenfunction of both the angular and the spin operators! Thus, that part of Applicant's statement denoted by *[sic!]* is fundamentally incorrect.

(c.2) Secondly, Applicant's new statement cited above is a contradiction to Applicant's angular momentum (spin-orbital) wave function given in GUT, Eqs.1.61-1.65, in which the spin wavefunction ( $Y_{0,0}$ ) and the orbital wavefunction ( $Y_{L,m}$ ) are both solutions of the same equation, and represented by one spin-orbital function in the form of an addition of two functions in the same and single ( $r,t$ ) space, i.e.,  $Y = Y_{0,0} + Y_{L,m}$ , but not in two independent functions,  $\Psi = \psi \cdot \alpha$  and

$\Psi = \psi \cdot \beta$  as correctly stated by McQuarrie in Eq. 8-50. What Applicant would mean with McQuarrie's "two dimensional wave equation" has its solution defined in a two-dimensional space as a (2-dimensional vector) functions  $\alpha$  and  $\beta$  defined in McQuarrie's Eq. 8-43. These  $\alpha$  and  $\beta$  are known in the art as representing two linearly independent eigenfunctions, or basis vectors, that can (but not must) be conveniently represented by  $\alpha = [1, 0]$  and  $\beta = [0, 1]$ , which are obviously orthogonal for satisfying the orthogonality condition in Eq. 8-46 on pg. 300, and yet fully different than -- and fully independent of -- the ordinary space (r,t). (Note: As generally known in the art, McQuarrie's orthogonality condition in the form of integrals over a not-further-specified spin variable  $\sigma$  (Eq. 8-46) is greatly simplified by defining --with Pauli-- the spin functions  $\alpha$  and  $\beta$  in its equivalent vector form,  $\alpha$  and  $\beta$ , which is mathematically more elegant and also conventional). In contrast, although Applicant's  $Y_{0,0}$  is constant, it is still a function defined in the same and single space (r,t) as  $Y_{L,m}$ , and hence, does not comply with Applicant's own new statement.

(c.3) Thirdly, Applicant has misrepresented his own cited reference [1], the latter unambiguously reciting on pg. 300, "In a sense,  $\alpha = Y_{1/2, +1/2}$  and  $\beta = Y_{1/2, -1/2}$ , but this is strictly formal association, and  $\alpha$  and  $\beta$ , and even  $S^2$  and  $S_z$ , for that matter, do not have to be specified any further." Thus, it is principally incorrect to interpret  $Y_{1/2, \pm 1/2}$  as being the same orbital function  $Y_{L,m}$ , but with  $L = 1/2$  and  $m = \pm 1/2$ . In fact, it is mathematically impossible to do so, simply because the (bounded) solution of the pertinent differential equation requires  $L$  to be an integer (see McQuarrie [1], Eq. 6-101). It is further recited on the next line, "The functions  $\alpha$  and  $\beta$  in Eq. 8-43 are called spin eigenfunctions" ....., which we write formally as ..." followed by defining its orthonormal properties in Eq. 8-46. As known in the art, it is sufficient and correct to

define the spin functions  $\alpha$  and  $\beta$  as in Eq. 8-43, together with their orthogonality condition as defined in Eq.8-46. Obviously, what is correctly meant by McQuarrie with  $Y_{1/2,\pm 1/2}$  as formally representing the spin functions  $\alpha$  and  $\beta$  is not  $Y_{0,0}$ , as insisted by Applicant in his response and in his GUT (Eqs.1.61-1.65). As generally known in the art what McQuarrie meant with  $\alpha$  and  $\beta$  are the Pauli spin eigenfunctions,  $\alpha=[1,0]$  and  $\beta=[0,1]$ , respectively, which are column vectors that should be rigorously written in columns, i.e., one component above the other (as used by the Examiner in his cited own work [3] as well by a many other authors), instead of sequential rows, i.e., one component after the other.

This will now be mathematically proven by the Examiner in a rigorous manner. As recited in Ref. [3] already cited by the Examiner in the previous Appendix, and also in [6] as a new/independent reference (in order to convince Applicant that this Pauli matrix formulation is truly an elementary concept generally known to those ordinary skilled in the art), the Pauli spin operators are defined as (with ***bold italics*** denoting operators):  $S_x = \hbar/2 \sigma_x$ ,  $S_y = \hbar/2 \sigma_y$ ,  $S_z = \hbar/2 \sigma_z$ , and  $S^2 = \hbar^2/4 \sigma^2$ , with the Pauli spin matrices  $\sigma_x$ ,  $\sigma_y$ ,  $\sigma_z$ , and  $S^2$  conventionally defined as

$$\sigma_x = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \quad \sigma_y = \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix} \quad \sigma_z = \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix} \quad \text{and} \quad \sigma^2 = \sigma_x^2 + \sigma_y^2 + \sigma_z^2$$

These Pauli spin matrices  $\sigma$  (the **bold** print denotes its vector character) are not to be confused with the unspecified spin variable  $\sigma$  used by McQuarrie in Eqs. 8-46. The latter will not be further used, because it has not been (and cannot be, or does not need to be) further specified, and its role has been adequately taken over by the vectorial properties of the Pauli spin

vectors  $\alpha$  and  $\beta$ . Applying these operators to McQuarrie's spin functions  $\alpha(\sigma)$  and  $\beta(\sigma)$ , which are now conveniently and conventionally represented by  $\alpha(\sigma) \rightarrow \alpha=[1,0]$  and  $\beta(\sigma) \rightarrow \beta=[0,1]$ , both defined as column vectors and both are eigenfunctions of both  $\sigma^2$  and  $\sigma_z$ , we easily obtain in terms of rigorous undergraduate mathematics:

$$S_z \alpha = \hbar/2 \sigma_z \alpha = + \hbar/2 \alpha ; S_z \beta = \hbar/2 \sigma_z \beta = - \hbar/2 \beta ; \text{ and}$$

$$S^2 \alpha = \hbar^2/4 \sigma^2 \alpha = \hbar^2/4 (1+1+1) \alpha = 3 \hbar^2/4 \alpha ; \text{ as well as } S^2 \beta = \hbar^2/4 \sigma^2 \beta = \hbar^2/4 (1+1+1) \beta$$

The mathematical relations derived above are in complete agreement with the properties of McQuarrie's spin functions as defined in Eq.8-43. It has been thus proven that Applicant has misunderstood and misrepresented his own cited McQuarrie reference [1], as well as the conventional QM that traditionally makes use of Pauli spin matrices [3, 6].

(c.4) Fourthly, on top of his misunderstanding, Applicant also has misrepresented his own McQuarrie reference by presenting  $Y_{0,0}$  in place of McQuarrie's  $Y_{1/2,\pm 1/2}$  as spin functions, thus leaving an incomplete set of angular momentum eigenfunctions  $Y_{L,m}(\theta,\phi)$  with  $L \geq 1$  by excluding  $Y_{0,0}$ . It is to be emphasized, McQuarrie's formal  $Y_{1/2,\pm 1/2}$  is not (and never can be; therefore McQuarrie's stress on "formal") a solution of the angular momentum eigenvalue equation, as incorrectly assumed by Applicant by misrepresenting it as  $Y_{0,0}$ . McQuarrie's  $Y_{1/2,\pm 1/2}$  is purely formal, and can never be a true or actual angular momentum eigenfunction,  $Y_{L,m}$ , in which both L and m must be integers, as generally known in the art (see also McQuarrie [1], Eq.6-101 for one-electron atom as well as Eq.6-61 for a diatomic molecule). As generally known in the art, by

formally denoting the spin function with  $Y_{1/2, \pm 1/2}$ , McQuarrie's set of angular momentum eigenfunctions still includes the zero orbital eigenfunction,  $Y_{0,0}$ . As such, McQuarrie's set of orbital eigenfunctions remains intact as a complete set of eigenfunctions, as it must always be. Obviously, Applicant's set of orbital eigenfunctions fails to comply with his own reference [1], and furthermore, violates a fundamental law of mathematics.

(c.5) Fifthly, what is correctly meant by McQuarrie with his wavefunction involving  $\alpha$  and  $\beta$  is well known in the art as Pauli wavefunctions represented by 2-dimensional eigenvector with components  $\Psi^+$  and  $\Psi^-$  [3, 7, 8], each of which being an independent function of  $(r,t)$ , i.e.,  $\Psi^+ = \Psi_{1001/2}(r,t)$ , and  $\Psi^- = \Psi_{100-1/2}(r,t)$ , as presented by McQuarrie in Eq.8-51 on pg.301. These two independent and mutually orthogonal eigenfunctions are most conveniently written in the form of column vector components  $\Psi^+ = \alpha Y_{L,m}(r,\phi) R_{n,L}(r)$  and  $\Psi^- = \beta Y_{L,m}(r,\phi) R_{n,L}(r)$ , as recited in Eq.1 of the Examiner's own work [3], as well as in Ref.[7] (Eqs.5.42-47), where  $\alpha = [1,0]$  = column vector,  $\beta = [0,1]$  = column vector,  $Y_{L,m}(r,\phi)$  is the conventional orbital angular momentum eigenfunction (=spherical harmonics, with L=0 included (see [1] Eq.6-76 on pg.215), and  $R_{n,L}(r)$  is the conventional radial function (=associated Laguerre function, in case of hydrogen wave function; see [1] Eq.6-102 on pg.223). The two eigenvector components  $\Psi^+ = \alpha Y_{L,m} R_{n,L}$  and  $\Psi^- = \beta Y_{L,m} R_{n,L}$ , are generally known in the art as Pauli eigenvectors (components) [3, 7]. Mathematically they are equivalent to McQuarrie's Eq.8-51, in which McQuarrie's spin functions  $\alpha(\sigma)$  and  $\beta(\sigma)$  have been specifically represented by the Pauli spin vectors  $\alpha$  and  $\beta$ , both satisfying the orthogonality condition as given by McQuarrie in Eq.4-46, since  $\alpha \cdot \beta = 0 = \beta \cdot \alpha$ ,  $\alpha \cdot \alpha = 1 = \beta \cdot \beta$ ,  $\hbar \sigma = 1$ , and both also satisfying McQuarrie's eigenvalue equations 8-43.

It has been thus shown, that McQuarrie Ref. [1] perfectly agrees with the Examiner's refutation as presented in the previous Appendix as well as in Examiner's Ref.[3], whereas Applicant's GUT wavefunction does not comply with his own cited reference [1], while also violating fundamental laws of mathematics and physics. Note: Ref.[7, 8] are new citations, to show that the Pauli wave functions,  $\Psi^+$  and  $\Psi^-$ , are well-known and widely used in the art, as equivalents to McQuarrie's. Thus, applicant's refutation of conventional QM stems from his own misunderstanding of the subject matter, including his own cited reference [1].

This is not an *a priori* standpoint taken by the Examiner, as alleged by Applicant, but has been conclusively drawn from the unprecedented amount of self-contradictory and erroneous arguments of record presented by Applicant that show Applicant's complete misunderstanding of the QM.

The Examiner also continues to disagree with applicant's repeated recitation (and "refutation"!) of Dirac's formulation of particle with spin  $\frac{1}{2}$  in the form of a 4-vector (see e.g., [9] & Drell), which is known in the art as being a natural (i.e., relativistic) extension of the 2-dimensional Pauli vector wave functions to 4-dimensional Dirac vectors that automatically represents anti-particles. Given that applicant has misunderstood Dirac's relativistic formulation, applicant's argument regarding this issue is unpersuasive.

(d) On pg.65, Applicant's argument regarding  $\delta\phi \rightarrow \infty$  vs.  $\delta\phi \rightarrow 2\pi$  only reflects Applicant's misunderstanding regarding multi-valued functions. Furthermore, Applicant's wording "*in order not to violate the HUP*" does not make sense to those of ordinary skill in the art, since a constant probability density in all space having  $\delta x = \infty$  does not violate the HUP at all, but is the

manifestation of HUP (both  $\delta p=0 \rightarrow \delta x=\infty$  and  $\delta x=0 \rightarrow \delta p=\infty$  strictly obey the HUP,  $\delta p \cdot \delta x \approx \hbar$ ).

The same conceptual error has been previously discussed in sub-paragraph 6(b). Such a serious misunderstanding of the HUP ultimately disqualifies Applicant's arguments altogether.

## 7. Applicant's misunderstanding of the Uncertainty Principle in QM

(a) Unlike the uncertainty of position and linear momentum, there is no  $\delta\phi \rightarrow \infty$  in case of sharply defined angular momentum ( $\delta L \rightarrow 0$ ), but only  $\delta\phi \rightarrow 2\pi$ , since  $\delta\phi \rightarrow \infty$  inevitably ends up in being confined within  $2\pi$  due to the multiple values of the angular variable  $\phi$ . Applicant's confusion in such a simple problem is another evidence for Applicant's misunderstanding of the HUP.

(b) Applicant's has failed to remove, or even properly address the Examiner's points of refutation in the previous Appendix. Consequently, said refutation remains in force, and is here re-instated by incorporation, in addition to new proofs of errors and misunderstanding encompassed in Applicant's response(s), to be detailed as follows.

(c) There is no such thing as "*mathematics versus physics*" as alleged by Applicant; but rather, the two aspects always develop hand-in-hand (see section 5a(a) above). As known in the art, besides experimental evidence, physics is built on rigorous mathematics.

(d) Applicant's argument regarding the Examiner's "bias by QM" is inappropriate because it is the Examiner's job to understand the scientific principles behind an invention by using tools made available to him by conventionally accepted science. QM is one of those tools that has

been conventionally and objectively accepted by the scientific community. The Examiner plays no role in the scientific community's acceptance of QM.

In each and every instance as evidenced by applicant's response throughout the entire prosecution history of this application, the applicant uses the competitor argument whenever his theory is refuted by any individual who provides sound mathematical and physical arguments based on conventionally accepted science such as QM to disprove applicant's mathematically and physically flawed theory. However, it must be emphasized that QM is not a competing theory but a conventionally accepted theory. Applicant has not provided any solid evidence that QM is flawed. All of applicant's previous arguments regarding the deficiencies of QM and attempts to disprove QM have been refuted by the Examiner in the previous and current arguments of record.

Regarding Applicant's request to have his applications examined by an Examiner who is "skilled in Maxwell equations", the MPEP states that a rejection may rely upon facts within the examiner's own/personal knowledge or other PTO employee(s); see MPEP 2144.03(C), 37 CFR 1.104(c)(3) and 37 CFR 1.104(d)(2). In this regard, the Examiner's skill in the pertinent art, both theoretical and experimental, is documented in his publication [10]. Note, the cited work has been accomplished by the Examiner 17 years ago, such that a "conflict of interest" argument is without merit.

(e) Applicant's reference to Ref.[80] for alleged "failures" of HUP is unpersuasive, since Ref.[80] is written by Applicant himself, and has been deemed incredible for being full of mathematical flaws and incorrect interpretations of physics principles, as previously discussed.

Applicant's misinterpretation of HUP is obviously also the source for his incorrect understanding of a number of references presented on pg.65 of his Response. Beyond his blind citation of the references, Applicant has failed to identify what he meant with "inconsistency" and "paradox".

"Inconsistency" or "paradox" exists in QM only in philosophical terms, depending on the philosophical standpoint of the individual author who made the statement, primarily with regard to what he/she defines as "reality" (cf. Laloë [5]). For example, the current Copenhagen interpretation of QM --more specifically regarding Schrödinger cat paradox, single particle interference, quantum entanglement, quantum teleportation etc.-- is neither a paradox nor inconsistency, when viewed from the philosophical standpoint of Logical Positivism [11-14] (= a modern version of Hume's classical positivism developed by the Vienna Circle --Bohr, Heisenberg, etc--, and is to date tacitly adopted by most physicists and scientists). Under this philosophical viewpoint, "reality" is defined solely as what is perceived by our five senses, as represented by experimental measurements (see, e.g., R. Nakhmanson, [11]). Thus, it would be nonsense to talk about non-measurable parameters, such as suggested in the EPR paradox by some "hidden variables" and summarized in the well-known Bell's inequalities in consequence of the classical interpretation of "reality" as local realism. As of late, the Bell's theorem has been experimentally disproved in favor of the so-called Copenhagen interpretation of QM as a non-local theory [11, 15]. The Copenhagen interpretation of QM is also compatible with Pragmatism [16], which declares any knowledge on "reality", including scientific theories, as being "correct" only insofar as it is beneficial to human experience (i.e., not only capable of explaining, but also able to predict and control), the latter again referring to the five senses, or, in short, experimental measurements. The Copenhagen interpretation of QM is even compatible

with Kant's metaphysics [15, 17] (foundation of modern philosophy, developed in the 18<sup>th</sup> century after Newton), which is heavily based on human reasoning (=logic, mathematics) and proves that metaphysical "reality" beyond human five-sense perception is not accessible to human knowledge and/or intelligence, as described by his famous argument of "das Ding an sich", or the thing in itself.

In contrast, Applicant's GUT is essentially incompatible with any of those major philosophical views, since the existence of hydrino is not based on experimental evidence (= five-sense perception), and furthermore, the hydrino can not be justified by reason, for obvious violation of logic/mathematics and known laws of nature. However, it is to be emphasized, philosophy is neither a subject matter of physics nor patent examination (non-statutory subject matter). The purpose of the above discussion is just to show that Applicant has misunderstood his own cited references regarding the alleged inconsistencies and paradoxes in QM given on pg.65.

It is to be emphasized, philosophy is totally irrelevant to science & technology, since it has no impact whatsoever on the "reality" itself. It does not matter whether Applicant considers single photon interference a paradox or not; a single photon that is split into different arms of an interferometer will still generate measurable interference effects. Similarly, an experiment designed to test the Bell theorem will invariably show the theorem is wrong (i.e., there is no hidden variable), no matter whether Applicant rejects a non-local QM theory as paradox, or accept QM as it is. This irrelevancy of philosophical interpretation is commonly shared by those skilled in the art, as also expressed, e.g., by Barth [18] on pg.2, col.2, lines 22-25.

For all the reasons stated above, Applicant's contention that the conventional QM is in "serious trouble" because it allegedly entails unsolvable paradoxes and inconsistencies, hence, needs to be rejected and/or drastically revised, is totally unpersuasive.

#### 8. Applicant's confusion regarding electron spin

Applicant has failed to address the Examiner's refutation in the previous Appendix. Applicant's spin wave function as postulated (but not derived) in GUT and repeated on pg.65-69 is mathematically flawed, since it contains mathematical inconsistencies and self-contradictions, as discussed in the previous Appendix (sect.6/pg.5-7), and more specifically in section 6 above. The Stern-Gerlach experiment has been adequately explained by Goudsmit and Uhlenbeck based on electron spin, which theoretically also agrees with the Pauli theory that represents the wavefunctions of a particle with spin  $1/2$  as 2-dimensional column-vector functions,  $\Psi^+$  and  $\Psi^-$ , known in the art as Pauli wave functions [3,7]. These Pauli functions have been previously shown to be in perfect agreement with the spin functions  $\alpha$  and  $\beta$  defined by Applicant's own cited reference [1]. These, however, turned out to disagree with Applicant's statement and formulations, as described above in section 6. Therefore, the Stern-Gerlach experiment does not need Applicant's explanation; not only because the underlying theory is incredible, but also because the explanation and prediction provided by the conventional QM is far more superior, far more quantitative and accurate, and --without falling into self-contradiction-- far more comprehensive than what Applicant has to offer. In this regard, Applicant's attempt to defend his derivation of spin-orbital wave function by combining the spin and orbital functions in one

single function of  $(r,t)$  has been proven to be based on a misunderstanding over his own reference McQuarrie [1], specifically with regard to Pauli eigenfunctions, as described above and in section 6. A correct interpretation of this Pauli eigenfunctions has been demonstrated by the Examiner by successful application of the conventional QM, as evidenced by elaborate mathematical calculations of intricate line splitting and intensities that have been experimentally verified to be extremely accurate to better than  $10^{-5}$  nm [3]. This accuracy is far more superior to the 0.1 nm accuracy of Applicant's measurements. Accordingly, Applicant's argument regarding this subject matter is totally unpersuasive.

**9. Regarding "Applicant's hydrogen wave function is seriously flawed"**

Similar to most of his other remarks, here Applicant does not even try to refute the Examiner's arguments as presented in the previous Appendix, but merely re-iterate his position as already presented in his evidently flawed GUT. The incredibly-large amount of mathematical flaws and incorrect understanding of physical principles ultimately disqualifies the GUT as a scientific theory. Every argument based on GUT is therefore unpersuasive.

**10. Regarding Applicant's incorrect application of Einstein's Special Relativity**

Applicant's repeat of his GUT derivation is unpersuasive, since it does not address the Examiner's point of refutation as brought up the previous Appendix. The Examiner's refutation was/is, that Applicant's application of Einstein's Relativity Theory to an orbiting electron is fundamentally wrong, since such a system is not an inertial system, and hence, the Lorentz

contraction is not applicable. There appears to be a lack of appreciation by the applicant of the crucial difference between inertial systems and non-inertial systems, which is most fundamental to Einstein's Relativity Theory. Therefore, Applicant's entire argument is unpersuasive.

**11. Applicant's failure to respond to specific refutations in the original Souw Appendix**

Besides Applicant's failure to persuasively argue against the Examiner's refutation of GUT as raised in the original Appendix, Applicant has left these points un-responded:

- (a) Applicant's misinterpretation of the radial function in QM that allegedly goes straight through the nucleus, which is raised by the Examiner in sect. 9 of the original Appendix.
- (b) The Examiner's invitation for Applicant to use his GUT to calculate line intensities that are verifiable by experimental measurement, as done by the examiner in his two cited own works [3, 4] remains un-responded.

**CONCLUSION:**

Applicant's response has failed to remove the Examiner's points of refutation as brought in the original Souw Appendix, some of which having been improperly addressed, or even left-out un-addressed. Consequently, all points of the Examiner's refutation remain in force, and are re-instated herein by incorporation, in addition to the above new proofs of Applicant's errors and misunderstanding brought up in his response(s). The Examiner does not evaluate GUT from an exclusive viewpoint of QM, as alleged by Applicant, but takes account of the fact that GUT is

trying to disagree with QM, i.e., by fully considering every point of Applicant's arguments. Thus, the Examiner has evaluated the GUT on its own merit based on its scientific credibility, i.e., its validity with regard to mathematical basis and experimental evidence. It was found, none of the criteria required by the conventional standard for scientific theory and/or patentable invention has been fulfilled.

**REFERENCES** (*those already cited in previous Appendix or by Applicant are printed in italics*):

[1] D.A. McQuarrie, "Quantum Chemistry", University Science Books, CA, 1983, relevant parts of Chapters 4, 6, and 8.

[2] E.U. Condon and G.H. Shortley, "The Theory of Atomic Spectra", Cambridge, 1967, pp. 45-69, and 112-147.

[3] E.-K. Souw et al., "Calculation of the Combined Zeeman and Translational Stark Effect on the  $H\alpha$  Multiplet", *Physica 122C*, 353, 1983.

[4] E.-K. Souw et al., "The Zeeman Splitting of the 5876 Å Helium Line Studied By Means of a Tunable Dye Laser", *Physica 113C*, 203, 1982.

[5] F. Laloë, "Do we really understand quantum mechanics?", *Am. J. Physics* 69 (6), June 2001, 655-701.

[6] Physics 200-04 Course, "Pauli Spin Matrices", <<http://axion.physics.ubc.ca/200-04/pauli-spin.pdf>>.

[7] H.G. Kuhn, "Atomic Spectra", Longmans, Green & Co., Ltd., London/Harlow 1969 (2<sup>nd</sup> ed.).

- [8] "The Linear Stark Effect", University of Texas Lecture,  
<<http://farside.ph.utexas.edu/teaching/qm/perturbation/node8.html>>
- [9] J.D. Bjorken and S.D. Drell, "*Relativistische Quantenmechanik*", Mannheim 1964.
- [10] E.-K. Souw, "Plasma Density Measurements in an Imperfect Microwave Cavity", J. Appl. Phys.61, 1761, 1987.
- [11] R. Nakhmanson, "The Ghostly Solution of the Quantum Paradoxes and its Experimental Verification", from "Frontiers of Fundamental Physics", Bartone & Selleri, Plenum Press, NY 1994, <<http://arxiv.org/ftp/physics/papers/0103/0103006.pdf>>
- [12] B. Best, "The Copenhagen Interpretation of Quantum Mechanics",  
<<http://www.benbest.com/science/quantum.html>>
- [13] Quantum Physics 301, "Paradoxes and Interpretation",  
<<http://www.teach.phy.bris.ac.uk/Level3/phys30100/CourseMaterials/paradoxes.pdf>>
- [14] The Internet Encyclopedia of Philosophy, "Logical Positivism",  
<<http://iep.utm.edu/logpos.htm>>
- [15] Dr. Ess, "History and Philosophy of Science", <[www.drury.edu/ess/philsci/bell.html](http://www.drury.edu/ess/philsci/bell.html)>
- [16] J.R. Shook, "A Pragmatically Realistic Philosophy of Science",  
<[http://www.pragmatism.org/shook/pragmatic\\_and\\_Realistic.htm](http://www.pragmatism.org/shook/pragmatic_and_Realistic.htm)>
- [17] K.L. Ross, "Kantian Quantum Mechanics", <<http://www.friesian.com/space-2.htm>>
- [18] A.J. Barth, "Bigger Than Fire?", SKEPTIC Vol.8, No.4, 2001.